

IMPERIAL IMI MAILBOX SYSTEMS

MAILBOXES • DECORATIVE LIGHT POLES • MULTI-BOX SYSTEMS • SIGNAGE • MAILBOX POSTS

*Beautifying
America...*

*One Mailbox
at a Time.*



(866) 781-3880



IMPERIAL IMI MAILBOX SYSTEMS

Premiered in the Finest Master-Planned Communities

U.S.P.S. and D.O.T. Approved | Members of NAHB and NGF



TABLE OF CONTENTS

About Imperial Mailbox Systems	pg. 1	"M-Series" Systems	pg. 17
Imperial Standard and Custom Colors	pg. 2	Decorative Posts for CBU Systems	pg. 18
Custom Mailbox Logos	pg. 3	Terms and Conditions	pg. 19
Imperial Mailbox Systems Component Sheet	pg. 4-5	U.S.P.S. Certification	pg. 20
How to Order Imperial Mailbox Systems	pg. 6	D.O.T. Letter	pg. 21
Sample Configuration of Mailbox Systems	pg. 7	Imperial and Estate Sign Systems	pg. 22
"Estate Series" Mailbox Systems featuring Post 6	pg. 8	How to Order Signs Systems	pg. 23
Twin Cast Aluminum Mailbox Systems	pg. 9	Imperial Sign Systems Back Plates	pg. 24
"Triple" Cast Mailbox Systems	pg. 10	Landmark Frame System and Raised Letter Blades	pg. 25
"Quad" Cast Mailbox Systems	pg. 11	Sample Configurations of Street Sign Systems	pg. 26-27
Imperial Post System Component Sheet	pg. 12	Decorative Light Poles	pg. 28
How to Order "C" and "D" Series Post Systems	pg. 13	Sample Configurations of Light Poles	pg. 29
Sample Configurations of Imperial Post Systems	pg. 14	Light Pole Mailbox Systems	pg. 30
Twin Imperial Post Systems	pg. 15	Sample Configurations of Light Pole Mailbox Systems	pg. 31
"Carson Series" Post Systems	pg. 16	Standardize Your Development with Imperial	pg. 32

ABOUT IMPERIAL MAILBOX SYSTEMS



Curb Appeal. These two words are often repeated during the planning stages of a residential development. Guidelines and restrictions are placed on homebuilders and owners to ensure the quality and aesthetic value of each home constructed. The shutters, trim, doors, even the lawns of each home have carefully outlined procedures to protect the value and pattern of the development. Imperial Mailbox Systems continues this careful attention to detail in this beautification and standardization process by providing the highest quality **U.S.P.S. Approved** mailboxes and **D.O.T. Approved** street signage.

As members of several national housing organizations, such as the **National Association of Home Builders**, **National Golf Foundation**, and the **Community Associations Institute**, Imperial Mailbox Systems has provided planned developments and communities across the United States with quality cast-aluminum mailboxes, street signage, and patio light poles. Our selection, illustrated in this catalog, is designed to complement and standardize all of your curbside and traffic sign needs.

It is our mission to serve you by providing U.S.P.S. approved mailboxes, and matching D.O.T. approved street signs. Leading the industry, Imperial has proven itself through partnerships with both organizations, and have a proven ISO 9001:2000 compliant system to continue to improve our products, services, and customer satisfaction.

Contact our customer service department today at **(866) 781-3880** for more information about how Imperial products are right for your project, or to find more information about U.S. Postal or D.O.T. standards and requirements. Give yourself the opportunity to realize the added value of your development's curb appeal with mailboxes, street signs, and light poles from Imperial!



(866) 781-3880

PAGE **01**

CUSTOM COLORS AND LOGOS ARE AVAILABLE!

STANDARD COLORS



BLACK



BRONZE



GREEN



ALMOND



BROWN



GREY

CUSTOM COLORS



WHITE



GOLD VERDE



VERDE

Gold Verde and Verde are NOT standard colors. Available at extra cost.

CUSTOM LOGOS



Customize your development by casting your logo or other insignia to help match the theme of your individual neighborhood. Imperial Mailbox Systems can help your neighborhood stand out from the competition. This option is for small and large developments that would like to set themselves apart from other communities.

We can take your mailbox design from dream to drawing board to reality. Let us show you what options are available.



CONTACT A SALES AGENT FOR
MINIMUM REQUIREMENTS

MAILBOX POSTS



Post 1

Post 2

Post 3

Post 4
"Barcelona"

Post 5

Post 6
"Estate"Post 7
"Windsor"Post 8
"Century"Post 9
"Americana"

USPS APPROVED
IMPERIAL
IMI Mailbox Systems

USPS STD 7B Approved Mailboxes are required for all Residential Developments.



1



MAILBOXES

All Mailboxes equipped with
KNOB or **RING PULL** for Front Door



4



6



7



8



9



0

MAILBOX ACCESSORIES



C Scroll
Available only with Post 6



S Scroll
Not available with Post 6



Number Plate 2



Number Plate 3



Number Plate 1



Number Plate 8
Available only with Box 8



Newspaper Holder 6

Available for all styles



2" Brass Numerals



3" Brass Numerals

SYSTEM CODE SPECIFICATIONS

3	1	1	K
---	---	---	---

POST

NUMBER PLATE

MAILBOX

RING (R) or
KNOB (K)
for door

Optional

6

NEWSPAPER
HOLDER

USPS STANDARDS

41"-45" from road surface to bottom of mailbox.
6"-8" from face of curb to mailbox door.

STANDARD COLORS



BLACK



WHITE



BRONZE



GREEN



GREY



ALMOND



BROWN



SPECIFICATIONS

- All Systems Include 'S' Scroll Support Brace
- * Note: Estate Systems Featuring #6 Post use 'C' Scroll
- Mailbox 8 and Number Plate 8 can only be used together

Example

388K

328K

384K

0 1 2 3 4
5 6 7 8 9

2" Brass Numerals
Available for Number
Plates 1, 2, and 8

0 1 2 3 4
5 6 7 8 9

3" Brass Numerals
Available for
Number Plate 3



USPS APPROVED
IMPERIAL
IMI Mailbox Systems

USPS STD 7B Approved Mailboxes are
required for all Residential Developments.

SAMPLE CONFIGURATIONS OF MAILBOX SYSTEMS

Many options are available for you to choose from. Estate Series Mailboxes are 45% larger than standard Imperial mailboxes, and are not available as twin systems.

Matching Street Signs and Light Poles are available for every configuration!

Call us today at **(866) 781-3880** and see how we can assist you in beautifying your development with our exclusive product line.

**119K****227R-6****311K****510R-6****627R****717R****888K****610R-6**

Looking for a specific configuration?

Call us at **(866) 781-3880** and request a drawing to be emailed to you today!

Featuring Post 6 and Extra-Large Estate Mailbox

— SYSTEM CODE SPECIFICATIONS —

6	3	0	R	L	-	6
POST 6	NUMBER PLATE	MAILBOX	RING (R) or KNOB (K) for door	DESIGNATES ESTATE BOX		NEWSPAPER HOLDER <i>Optional</i>



ESTATE SERIES MAILBOXES
are 45% Larger than Standard Imperial Mailboxes



STANDARD IMPERIAL MAILBOX

Looking for a specific configuration?
Call us at (866) 781-3880 and request a drawing to be emailed to you today!

Features Two Mailboxes on One Post

— SYSTEM CODE SPECIFICATIONS —

T	8	8	8	K	-	6
DESIGNATES TWIN	POST	NUMBER PLATE	MAILBOX	RING (R) or KNOB (K) for door		NEWSPAPER HOLDER <i>Optional</i>


Estate mailboxes are not available as twins.



T630K



T311K



Looking for a specific configuration?

Call us at (866) 781-3880 and request a drawing to be emailed to you today!

Features Three Mailboxes on One Post

— SYSTEM CODE SPECIFICATIONS —


R	8	8	8	K	-	6
DESIGNS TRIPLE	POST	NUMBER PLATE	MAILBOX	RING (R) or KNOB (K) for door		NEWSPAPER HOLDER <i>Optional</i>

Estate mailboxes are not available as triples.

**R311K****R620K**

Features Four Mailboxes on One Post

— SYSTEM CODE SPECIFICATIONS —



DESIGNATES
QUAD

POST

NUMBER
PLATE

MAILBOX

RING (R) or
KNOB (K)
for door

NEWSPAPER
HOLDER
Optional

Estate mailboxes are
not available as quads.




Q311K

Q888K

Imperial post systems feature a decorative post and brace combination with your choice of base and finial styles. They are designed for use with standard Post Office approved rural mailboxes.

C SERIES



2 3/8" Outside Diameter

FINIALS



USPS APPROVED
IMPERIAL
IMI Mailbox Systems

D SERIES



3" Outside Diameter

FINIALS



NEW!



USPS STD 7B
Approved
Mailboxes are
required for
all Residential
Developments.

NEWSPAPER HOLDER 7


6.75"
19"



— SYSTEM CODE SPECIFICATIONS —



POLE



BASE

NUMBER PLATE

STANDARD
RURAL
MAILBOX #1



FINIAL



NEWSPAPER
HOLDER

Optional

USPS STANDARDS

41"-45" from road surface to bottom of mailbox.
6"-8" from face of curb to mailbox door.

STANDARD COLORS



BLACK



WHITE



BRONZE



GREEN



GREY



ALMOND




BROWN

Large size rural
mailbox #2
also available

SPECIFICATIONS

- Bases, finials, and address plates are die-cast using high grade aluminum providing strength, durability, and unsurpassed quality.
- Post Systems utilize an extruded aluminum pole.
- Every post has a wall thickness of .109" and meets all ASTM Standards.
- Newspaper Holders are available with C & D Series
Newspaper Holder 6 (Fits Standard Rural Mailbox 1)
Newspaper Holder 7 (Fits Standard Rural Mailbox 2)
- Number Plate 4 is featured only on C1 and D1 systems.
- C2/D2, and C3/D3 systems are available with Number Plates: 1, 2, and 3 (see page 5 for illustration)
- 3" Brass Numerals available for Number Plates 3 and 4.
- All Systems designed for Direct Ground Burial.



Many options are available for you to choose from. All Post Systems featured are depicted with a Solar Box Type S1.

Matching Street Signs and Light Poles are available for every configuration! Call us today at **(866) 781-3880** and see how we can assist you in beautifying your development with our exclusive product line.



C1-2412



D1-8418



D1-7417



C2-3213

D2-7117



D2-8118



C3-5210



D3-8110



D3-7110

Refer back to page 12 component sheet to determine or select the Style, Pole, Base, or Finial.

————— Looking for a specific configuration? —————

Call us at **(866) 781-3880** and request a drawing to be emailed to you today!

Available with C2, D2, C3 and D3 Posts

— SYSTEM CODE SPECIFICATIONS —



BRKTY
Twin Brackets
for C2, D2 Poles



BRKTC3/TD3
Twin Brackets
for C3, D3 Poles

Optional

T **C2** -

6 **1** **1** **4** -

6

DESIGNS
TWIN DESIGN

POLE
(C1 or D1 Pole
unavailable)

BASE

NUMBER
PLATE

STANDARD
RURAL
MAILBOX #1

FINIAL

NEWSPAPER
HOLDER



TC2-6114



TD2-8218

Features C3 or D3 posts with an Imperial Mailbox

— SYSTEM CODE SPECIFICATIONS —

C3	2	1	0	0	K
POLE (C3 or D3)	BASE	NUMBER PLATE	MAILBOX	(NO FINIAL)	RING (R) or KNOB (K) for door



C3-2100K



C3-3210K



D3-8880K



USPS APPROVED
IMPERIAL
IMI Mailbox Systems

NEWSPAPER HOLDERS
are not available for
Carson Series Systems

USPS STD 7B Approved
Mailboxes are required for all
Residential Developments.

— SYSTEM CODE SPECIFICATIONS —

M4 - 888K

SERIES
(Number designates
mailbox quantity)

POST

**NUMBER
PLATE**

MAILBOX

**RING (R) or
KNOB (K)
for door**

- M-Series Systems are available with Century, Estate, or Windsor Posts.
(see page 04 - component sheet)
- All Imperial Mailboxes and Number Plates are Available
- Maximum 6 Mailboxes per shelf
- Systems cannot be configured with a Newspaper Holder



— SYSTEM CODE SPECIFICATIONS —

CBU 6 PM

CLUSTER BOX UNIT

POST

INSTALLATION TYPE

Our Decorative Post Systems offer an attractive option for the installation of CBU's as required by the U.S.P.S., such as: apartment complexes, industrial and business centers, or university locations.

Decorative Posts for CBU Systems are available in Century, Estate, or Windsor Series.

Options include Direct Ground Burial (DB), or Pier-Mounted (PM)

NOTE: CBU 7 and CBU 8 will only accept a type I or type II.



IMPERIAL IMI MAILBOX SYSTEMS

Call one of our Customer Service Representatives today, and see how we can provide your community the finest quality cast-aluminum "rust free" mailboxes, street signs, and light poles.

OFFICE HOURS

Monday thru Friday
7:30 AM - 4:30 PM CST

(866) 781-3880



**DEALERS
NATIONWIDE**



TERMS AND CONDITIONS

Shipping Terms: All prices are F.O.B. point of origin. Freight charges must be prepaid at time of order placement. Freight collect requires prior approval.

Delivery: Most items in this catalog are stocked and ready to be shipped within (5) business days. Custom and large orders may vary in shipping times (between 2-8 weeks, please call for a quote), and may be drop shipped to various locations. Specific shipping dates are not guaranteed. Most items ship via FED-EX ground or FED-EX Freight. Before accepting any shipment, the extent of any damages or shortages should be noted in writing on the bill of lading before you sign for the shipment. Claims are the responsibility of the shipper.

Materials: All descriptions and specifications contained in this catalog were in effect at the time of publication. Imperial Mailbox Systems reserves the right to change specifications and/or designs without notice or incurring liability.

Installation: Most products require minor assembly. Consult local postal or D.O.T. authorities regarding any local requirements.

Quotations: Individual quotations are valid for (30) days. Imperial Mailbox Systems reserves the right to alter a quote at any time and for any reason, as well as the right to decline an order for any reason.

Dealers: Imperial Mailbox Systems primarily sells through our dealers: call (866) 781-3880 to find the nearest dealer in your area. Dealers are not employed by Imperial Mailbox Systems.

Returns: Returned products will not be accepted without prior authorization from Imperial Mailbox Systems, and must be shipped prepaid to Imperial Mailbox Systems. All returns are subject to a 25% restocking fee. Items must be inspected and reported of any nonconforming issue within (7) business days. Shipping charges are non-refundable.

Copyright: All catalogue products, graphics, and text are © 2017 Imperial Mailbox Systems. ALL RIGHTS RESERVED.

Warranty: Imperial Mailbox Systems provides a (1) year limited warranty to the original purchaser covering defects in material and workmanship if reported in writing to Imperial Mailbox Systems within (1) year of the delivery date. Whether a condition is a defect is determined solely by Imperial Mailbox Systems. This warranty is limited to the cost of the products, and does not include installation fees, transportation neglect or costs, vandalism, misuse, or alterations by the customer. It is the option of Imperial to replace or repair defective products. Imperfections in sand cast products are a part of the natural aesthetics and not considered a defect. Wear and tear is not covered. Purchaser assumes all liability and risk upon purchase of goods.



September 30, 2002

John H. Clark, Jr.
Imperial Mailbox Systems
3901 Norris Lane
Millbrook, AL 36054-2433

Dear Mr. Clark:

The final review of your mailbox models: 001-01, 001-04, 001-06, 001-07, 001-08, and 002-00 have been completed in accordance with section 4.1.3 of USPS-STD-7B. It has been determined that these mailboxes are in compliance with the requirements of USPS-STD-7B. Therefore, with this notification, you are authorized to manufacture and market these mailboxes as approved by the United States Postal Service (USPS).

Enclosed is one set of the approved drawings which have been stamped as follows: USPS CERTIFIED DRAWING, Issue No. 1, May 16, 2002. The enclosed drawings represent the baseline design for this control and USPS quality control. Any future changes to these drawings must be reviewed and approved by the USPS prior to production implementation.

If you have any questions, please contact Don Irwin at (703) 280-7287.

Sincerely,

James W. Buie
IP Business Manager

Enclosure

cc: C. Bravo, R. Gamble, S. Landi

8403 LEE HIGHWAY
MERRIFIELD, VA 22082-8101
TEL: 703-280-7050
FAX: 703-280-8402
WWW.USPS.COM



1200 New Jersey Ave., S.E.
Washington, DC 20590

May 28, 1993

U.S. Department of Transportation
Federal Highway Administration

Refer to: HNG-14/SS-35 (Revised)

Mr. John H. Clark Imperial, Inc.
3901 Norris Drive Millbrook, Alabama 36054

Dear Mr. Clark:

Thank you for your May 4 letter to Mr. Thomas O. Willett requesting Federal Highway Administration's (FHWA) acceptance for your company's aluminum pipe breakaway sign support. You referenced our Geometric and Roadside Design Acceptance Letter SS-28 dated May 26, 1992, which reported on small sign support testing conducted in "weak" soil and sponsored by the Florida Department of Transportation (DOT). In that letter, we accepted as breakaway 89-mm (3-in) diameter, 6061-T6 alloy aluminum tubes of 4.75-mm (0.187-in) thickness when no more than one sign support was used within a 7-foot span. The posts pulled out of the ground partially or completely, allowing the vehicle to gradually come to a stop. The signpost that you wish to use has a diameter of 60-mm (2.375 in) and a wall thickness of 5.54-mm (0.218 in). The two signposts are compared in the table below:

Sign Post	Florida DOT	Imperial, Inc.
Diameter	89 mm (3.5 in)	60 mm (2.375 in)
Wall Thickness	4.75 mm (0.187 in)	5.54 mm (0.218 in)
Alloy	6061-T6	6063-T6
Tensile Strength	310 Mpa (45 ksi)	186 Mpa (27 ksi)
Yield Strength	275 Mpa (40 ksi)	145 Mpa (21 ksi)
Cross Section Area	1257 mm ² (1.951 in ²)	948 mm ² (1.477 in ²)

In addition to the Florida DOT sponsored testing to which you referred, earlier tests of 100-mm (4-in) diameter thin-walled aluminum tubes were conducted in "strong" soil. These posts, which were fitted with anti-twist hardware below the groundline, fractured upon impact. They were found to be crashworthy.

Because your company's proposed aluminum tube sign support is a smaller diameter and made of a weaker alloy than posts already found to be crashworthy in either strong soil or weak soil, we find the 60-mm diameter, 5054-mm thick wall tube of 6063-T6 aluminum to be acceptable for use on Federal-aid highway projects when requested by a highway agency. It has also been determined (reference FHWA acceptance letter SS-15) that your 3-inch and 4-inch diameter posts, each with a wall thickness of 0.125 inches and constructed from aluminum alloy 6061-T6, are accepted by FHWA. We would recommend, however, that a soil plate or other sort of anti-rotation device be installed below ground. This would have dual benefits of preventing the signpost from rotating, and improving the breakaway performance, especially in weak soil.

Our acceptance is limited to the breakaway characteristics of the post and does not cover its structural features. Presumably, you will supply potential users with sufficient information on structural design and installation requirements to ensure proper performance. We anticipate that the States will require certification from Imperial, Inc., that the hardware furnished has essentially the same chemistry, mechanical properties, and geometry as the post in question, and that it will meet the FHWA change in velocity requirements.

Sincerely yours,

Lawrence A. Staron, Chief
Federal-Aid and Design Division

Federal Highway Administration

Imperial has three standard pole lengths designed to meet the industry standard height-to-grade requirements of seven feet.

POLE LENGTH

POLE LENGTH 1 = 14' 6"

POLE LENGTH 2 = 12'

POLE LENGTH 3 = 11'

CUSTOM POLE LENGTHS

are Available


Contact a Sales Representative for a Quote.

IMPERIAL SIGN POLES



A1 A2 A3

3" Outside Diameter



B1 B2 B3

2 3/8" Outside Diameter

ESTATE SIGN POLES



E1 E2 E3

4" Square

All Base and Finial Styles
featured on page 12
are available for
Imperial Sign Systems.

Square Base and Finial Style featured below are
available for Estate Sign Systems.



Base 6
SQ



Finial
6 SQ

NEW!



Finial
7 SQ

— SYSTEM CODE SPECIFICATIONS —

B2	-	3	SC	3
----	---	---	----	---

SIGN POLE

BASE

BACK PLATE
(If NO Back Plate,
Value is 0)

FINIAL



SPECIFICATIONS

- D.O.T. Standard and Custom Sign Faces and Street Name Signs Available.
- All Sign Systems utilize an extruded aluminum pole meeting ASTM Standards. Century Poles have a wall thickness of .0125", Imperial Poles are Schedule 80, Estate Poles have a wall thickness of .125".
- All Systems are designed for Direct Ground Burial.
- All Street Signs are finished using a Premium Enamel Paint ensuring a continuity of service.

SIGN BACK PLATES

Imperial's solid cast back plates are designed to accomodate Department of Transportation standard stop, yield and information signs.



Reflective sign faces available.



Reflective sign faces available.



Reflective sign faces available.

CODE	SIZE
YA	30"
YB	36"

CODE	SIZE
SC	30"
SB	24"
SA	18"

CODE	SIZE
DC	30"
DB	24"
DA	18"



Reflective sign faces available.



Reflective sign faces available.



CODE	SIZE
IF	36" x12"

CODE	SIZE
IC	24" x30"
IB	18" x24"
IA	12" x18"

CODE	SIZE
QC	30" x30"
QB	24" x24"
QA	18" x18"



CODE	SIZE
IG	12" x 6"

CUSTOM BACKPLATE SIZES are Available

— Contact a Sales Representative for a Quote. —

These exclusive designs add style and strength to any standard street name sign.

FRB

36 x 6

FRB designates Landmark Frame
RLB designates Raised Letter Blade

Length & Height of FRB or RLB

- All Frames are designed to accomodate standard Department of Transportation street name signs.
Check with your local municipality for your areas regulations.

- Frame Lengths are 24", 30", 36", and 42"
Frame Heights are 6" and 9"
Custom Sizes are available



- Raised Letter Blades are die cast for an elegant touch of class. Frames are constructed of extruded aluminum.
- Raised Letter Blade Lengths are 30" and 36"
Raised Letter Blades Heights are 6" only



For additional appeal, add a decorative scroll to
your Landmark Frame or Raised Letter Blade.

Raised Letter Blade
with Scroll attached



Landmark Frame
with Scroll attached



Hanging Frame
with Scroll Arm






*These optional reflective
sign faces are available.*

B3-3IB3

A2-7YA7

SAMPLE CONFIGURATION OF STREET SIGN SYSTEMS



(866) 781-3880

PAGE **27**

Imperial's line of decorative light poles are the perfect accent to any landscape. The poles are made for use with standard gas or electric lights available in your area.

— SYSTEM CODE SPECIFICATIONS —



**System Rendering from
Code Specified at right:**

*Light Fixture shown
sold separately*



TP 1
(transition piece)


Pole LP
(standard height
is 6.5 feet
above ground)

Base 2



DESIGNS
LIGHT POLE

BASE
(Styles found
on page 29)




SPECIFICATIONS

- All 2 3/8" OD light poles are equipped with a decorative transition piece (TP 1) to accommodate a 3" light fixture.
- 3" OD light poles (used with base 7, 8, or 9) do not require a transition piece.
- Light fixtures shown are sold separately.
- Pole LP (standard height is 6.5 feet above ground)

LP 2

Please have a Licensed Electrician wire your light.

LIGHT POLE OPTIONS



LP 3

LP 5

LP 6

LP 7

LP 8

LP 6 SQ

LP-9

BASE 8 LP

with access panel

Imperial mailboxes can be mounted to light poles to combine
two streetscape solutions

— SYSTEM CODE SPECIFICATIONS —

LP	5	2	0	R	-	6
----	---	---	---	---	---	---

LIGHT POLE

BASE

NUMBER
PLATE



MAILBOX

RING (R) or
KNOB (K)
for doorNEWSPAPER
HOLDER
(Optional)

**System Rendering from
Code Specified above:**

SPECIFICATIONS

- Pole LP (standard height is 6.5 feet above ground)
- Light fixtures shown are sold separately
- Mailboxes are mounted directly to the light pole with Light Pole (LP) Brackets.



LP Brackets
(2 per Box)

LIGHT POLE MAILBOX SYSTEM SAMPLE CONFIGURATIONS




Estate Mailboxes
are not available
as Light Pole
Mailbox Systems.


STANDARDIZE
YOUR DEVELOPMENT

With IMPERIAL!







MAILBOXES ▲



CUSTOM SIGNAGE ▼

▲ STREET SIGNS



MULTI- BOX
SYSTEMS

 **IMPERIAL**
IMI MAILBOX SYSTEMS

(866) 781-3880